



TECHNICAL DATA SHEET No 609

BUMPER PAINT TEXTURE

GENERAL TECHNICAL DESCRIPTION

1K acrylic paint for achieving a textured, durable finish, depending on the desired level.

Designed for plastic automotive parts such as bumpers, decorative stripes, exterior mirrors, etc.

Direct adhesion (no primer required).

Great durability, flexibility and opacity.

Short drying times.

PRODUCT APPLICATION



20 - 25% 740 NORMAL / 741 SLOW ACRYL THINNER / REDUCER

Ready to spray: 20 - 25 s DIN 4 / 20°C (68°F)

SURFACE

Plastic automotive parts excluding

pure PE (Polyethylene)



1.2 – 1.4 mm 1.7 - 2.2 bar (25 - 32 psi) 2x coats = 35 - 40 µm (1.4 - 1.6 mil)



PRETREATMENT/CLEANING OF SUBSTRATE

Clean substrate using a soft cloth

Make sure the surface is first wiped

and 770 ANTISIL NORMAL / 771 ANTISIL FAST DEGREASER.

dry and then air dried.

5 - 10 min / 23°C (73°F) Flash off time between coats



1 h / 23°C (73°F) 10 min / 60°C (140°F) panel temperature



20-25

Short wave 3 - 5 min Distance: 60 - 70cm

STORAGE SHELF LIFE

 Guaranteed shelf life of 24 months in unused original containers stored in a cool place (5 - 25°C) (41 - 77°F).



Always wear protective equipment

ſ		1	
	I		

Follow the application instructions mentioned in this TDS

SPECIFIC GRAVITY 1 ± 0.05 g/cm³ SOLID CONTENT

(NO THINNER / REDUCER) 45 ± 2% Weight

VOC (2004/42/EC)

This is a special refinish product based on its ingredients and its properties. The maximum VOC content in this category is 840 g/L. The VOC content in the ready for use form of this product is 840 g/L. 2004/42/IIB(e)(840)840

THEORETICAL COVERAGE

7-8 m²/l at 35 micron (1.4 mil) dry film thickness

CLEANING OF EQUIPMENT

Clean after final use with 740 ACRYL NORMAL Thinner / Reducer

REMARKS

- · Application only with the recommended thinners / reducers.
- Do not use at temperatures below 15°C (59°F).
- Clear coat is not needed.

For professional use only. The information displayed on this sheet has been carefully selected through a series of laboratory investigations. It is based on our best knowledge at the time of issue. The data is given for information purposes only. We are not liable for its correctness, accuracy and completeness. It is up to the user to check for newer updates or further information if needed for his intended purpose. The intellectual property of this product, trademarks and copyrights is protected. All rights reserved. The relevant Material Safety Data Sheet and warnings displayed on the label must be read carefully. We may modify and / or discontinue operation of all or portions of this information at any time in our sole discretion, without any notice and assume no responsibility to update the information. All rules set forth in this clause shall apply accordingly for any future changes and amendments.

MARCH 2024