

Protection with perfect finish

Paint system
for wood and metal



Rally[®]





Paint system for wood and metal

Alkyd resin synthetic paint

Suitable for metal and wood surfaces,
primed and factory surfaces.

- ▶ Excellent weather resistance.
- ▶ Quick drying time.
- ▶ Perfect shine.

992
1K ANTICORROSIVE
PRIMER



969
1K ANTICORROSIVE
PRIMER



20:80
HARDENER



750
SYNT THINNER



800
MATTING AGENT



For insulation and corrosion protection

It is recommended to apply 992 or 969 anti-corrosive primer.

For faster drying and extra hardness

It is recommended to mix with special Hardener 20:80 Hardener
in 4: 1 ratio of any Rally shade.

For a velvety surface and better application


It is recommended to dilute 10% - 20% with 750 SYNT THINNER.

For satin or matt finish

Mixing with 800 Matting Agent paste is recommended.

- For satin surface add 20% - 30%.
- For matt surface add 30% - 40%.

In both cases reduce the amount of thinner to half (1/2).



10



11



12

CATERPILLAR



13



18

RAL 1018



21

RAL 2002



24

RAL 2004



25



30

RAL 3000



31

RAL 3001



32



34

RAL 3004



37



50



51

RAL 5010



53

RAL 5015



55

RAL 5005



57



61



63

JOHN DEERE



65



67

RAL 6017



70

RAL 5005




73

RAL 7030



74

RAL 7040



75

RAL 7035



78

RAL 7011



81

RAL 8001




82

RAL 8002




87

RAL 8011




90

RAL 9010



91

WHITE GLOSS



92



95

SEMI GLOSS



96

BLACK MATT



99

BLACK GLOSS



Rally®



Protects
metal and wood



www.hbbody.com