

**HB BODY**

# RALLY SYNTHETIC PAINT



Wood and  
Metal Paint  
System

# RALLY SYNTHETIC PAINT



HIGH GLOSS  
ENAMEL TOPCOAT

SYNTHETIC  
PAINT

## Paint System for wood and metal

### Alkyd resin synthetic paint

Suitable for metallic and wooden surfaces,  
primed and factory surfaces.

- Excellent weather resistance.
- Quick drying time.
- High gloss.



### FOR INSULATION AND CORROSION PROTECTION

It is recommended to apply  
**992 1K ANTICORROSIVE PRIMER.**



### FOR FASTER DRYING AND EXTRA HARDNESS

It is recommended to mix with **710  
HARDENER FOR SYNTHETIC PAINTS**  
in 4:1 ratio of any Rally shade.



### FOR A VELVETY SURFACE AND SMOOTHER APPLICATION

It is recommended to dilute 25%  
with **750 SYNT THINNER.**




### FOR SATIN OR MATT FINISH

Mixing with **800 Matting Additive**  
is recommended.

- For satin surface add 30% - 40%.
- For matt surface add 40% - 50%.

*In both cases reduce the amount of thinner  
up to half (1/2).*

# COLOUR INDEX



10



11



12

CATERPILLAR



13



18

RAL 1018



21

RAL 2002



24

RAL 2004



25



30

RAL 3000




31

RAL 3001



32



34

RAL 3004



37



50



51

RAL 5010



53

RAL 5015



55

RAL 5005



57



61



63

JOHN DEERE



65



67

RAL 6017



70




73

RAL 7030



74

RAL 7040



75

RAL 7035



78

RAL 7011



81

RAL 8001



82

RAL 8002




87

RAL 8011



90

RAL 9010



91

WHITE GLOSS



92



95

SEMI GLOSS



96

BLACK MATT



99

BLACK GLOSS



High-quality paint for metallic and wooden surface protection.



# RALLY SYNTHETIC PAINT

Wood and Metal Paint System

